### **Week 1: Decimal and Fraction Operations**

## Adding & Subtracting Decimals

- 1. Write the problem vertically, lining up the decimal points.
- 2. Add additional zeroes at the end, if necessary, to make the numbers have the same number of decimal places.
- 3. Add/subtract as if the numbers are whole numbers
- 4. Bring the decimal point straight down


ex: 14.2 - 7.934

7.934

## Multiplying Decimals

- I. Write the problem vertically with the numbers lined up to the right. The decimal points do NOT need to be lined up.
- 2. Ignore the decimals and multiply as if the numbers are whole numbers.
- 3. Count the total number of decimal places in the factors and put a decimal point in the product so that it has that same number of decimal places.


ex: 6.94 x 7.8



## Dividing Decimals

- I. Write the dividend under the long division symbol and the divisor to the left of it.
- 2. Move the decimal point in the divisor after the number to turn it into a whole number and then move the decimal in the dividend the same number of places. Then bring it up.
- 3. Divide as if the numbers are both whole numbers.
- 4. Annex zeros in the dividend as needed until there is no remainder. If your answer is a repeating decimal, write the answer using bar notation.

ex: 25.3 ÷ 0.3



### Order of Operations

- I. Grouping Symbols (parentheses, brackets, etc.)
- 2. Exponents
- 3. Multiplication € Division (left to right)
- 4. Addition & Subtraction (left to right)

- ex: 5 + 4(3 1.2)
  - 5 + 4(1.8)
  - 5 + 7.2
  - 12.2

Evaluate each expression.

Evaluate each expression.		
1. 5.983 + 2.99	2. 224 - 56.73	3. 6.12 - 4.923
4. 24.5 · 3.2	5. 0.23 · 7	6. 3.86 · 9.15
7. 14.8 ÷ 5	8. 46.3 ÷ 1.5	9. 147 ÷ 2.25
10. 24.33 - 2.5 · 7	11. 3.9 + 4.5 <sup>2</sup>	12. 9.25(18.4 - 2 · 1.2)

Solve each word problem, showing all work.

13.	Jeff had \$46.18 in his wallet Monday morning.
	He gave half of his money to his brother. He
	then bought two donuts for \$0.75 each and a
	cup of coffee for \$2.99. How much money did
	Jeff have left?

14. Five friends split a \$65.20 bill at a restaurant. They also each left \$2.75 for the tip. How much money did each person pay in all?

# Adding Fractions & Mixed Numbers

1. Find a common denominator for the two fractions.

ex: 
$$3\frac{3}{4} + 2\frac{1}{2}$$

- 2. Add the two numerators and keep the denominator the same.
- 3. Add the whole numbers.
- 4. Simplify the answer and/or change improper fraction answers to mixed numbers.

$$3\frac{3}{4} = 3\frac{3}{4}$$
$$2\frac{1}{2} = 2\frac{2}{4}$$
$$5\frac{5}{4} = 6\frac{1}{4}$$

# Subtracting Fractions & Mixed Numbers

- I. Find a common denominator for the two fractions.
- 2. Subtract the two numerators and keep the denominators the same. If the top numerator is smaller than the bottom numerator, borrow from the whole number and rename the top fraction.
- 3. Subtract the whole numbers.
- 4. Simplify the answer.

 $3\frac{7}{12}$ 

## Multiplying Fractions & Mixed Numbers

1. Turn any mixed numbers and whole numbers into improper fractions.

ex: 
$$2\frac{1}{6} \cdot \frac{4}{7}$$

- 2. Cross-simplify if possible.
- 3. Multiply the numerators and then multiply the denominators
- 4. Simplify the answer and/or change improper fraction answers to mixed numbers.

$$\frac{13}{3\cancel{4}} \cdot \frac{\cancel{4}}{7} = \frac{26}{21} = \boxed{1\frac{5}{21}}$$

# Dividing Fractions & Mixed Numbers

1. Turn any mixed numbers and whole numbers into improper fractions.

ex: 
$$7 \div 1\frac{3}{4}$$

- Keep the first fraction the same, change the division to multiplication, and flip the second fraction to its reciprocal.
- $\frac{7}{1} \div \frac{7}{4}$

3. Multiply the fractions.

- $\frac{1}{7} \cdot \frac{4}{7} = \frac{4}{1} = 4$
- Simplify the answer and/or change improper fraction answers to mixed numbers.

Evaluate each expression.

Evaluate each expression.		
15. \frac{4}{5} + \frac{3}{4}	16. 4 \frac{2}{7} + 2 \frac{9}{14}	17. 8 11 + 9 5 18
18. $6 - \frac{3}{8}$	19.8 \frac{3}{5} - 2 \frac{1}{3}	20. 4 <del>6</del> - <del>8</del> <del>q</del>
21. 4/25 · 15/16	22. 2 <sup>3</sup> / <sub>4</sub> · 8	23. 6 \frac{5}{8} \cdot 3 \frac{1}{2}
24. $\frac{7}{9} \div \frac{2}{3}$	25. \frac{4}{5} \div 10	$26.5\frac{2}{3} \div 2\frac{5}{6}$

Solve each word problem, showing all work.

	27. Jaimie ran $3\frac{1}{2}$ miles on Monday. She ran half as far on Tuesday as she did on Monday. How far did Jaimie run in all on Monday and Tuesday?  28. A $5\frac{1}{2}$ quart pot is filled $\frac{2}{3}$ of the way with wat How many more quarts of water can the pot hold?
--	--

### Week 2: Ratios and Proportions

#### Ratios

Ratios are comparisons of two quantities. There are 3 different ways to write ratios:

- Fraction  $\left(\frac{A}{B}\right)$
- Colon (A:B)
- Word Form (A to B)

Ratios can be simplified just like fractions.

ex: write the ratio of triangles to circles in 3 ways:  $\triangle$   $\triangle$   $\triangle$   $\triangle$   $\triangle$ 

$$\frac{4}{2} = \frac{2}{1}$$
, 2:1, 2 to 1

#### Rates & Unit Rates

Rates are ratios that compare quantities measured in different units. A unit rate is a rate with a denominator of  ${\sf I}$ .

To convert a rate to a unit rate:

- 1. Divide the numerator by the denominator
- 2. Either write your answer as a fraction with a label for the both the numerator and denominator OR as one number labeled with the first unit "per" the second unit

ex: express as a unit rate: 125 miles in 4 hours

$$\frac{125 \text{ mi}}{4 \text{ hr}}$$
  $125 \div 4 = 31.25$ 

### Fractions, Decimals, & Percent

To convert a:

- Decimal to Percent: move the decimal point 2 places to the right
- Percent to Decimal: move the decimal point 2 places to the left
- <u>Decimal to Fraction</u>: write the decimal over the place value of the last digit and then simplify
- Fraction to Decimal: divide the numerator by the denominator
- Percent to Fraction: write the percent over 100 and then simplify
- <u>Fraction to Percent</u>: convert the fraction to a decimal and then convert the decimal to a percent

ex: 
$$7\% = 0.07$$

ex: 
$$0.008 = \frac{8}{1000} = \frac{1}{125}$$

ex: 
$$\frac{1}{5} = 5$$
 1.0

ex: 
$$45\% = \frac{45}{100} = \frac{9}{20}$$

ex: 
$$\frac{3}{10} = 0.3 = 30\%$$

### Percent of a Number

- 1. Turn the percent to a fraction or decimal.
- 2. Multiply the fraction/decimal by the number.

$$0.18 \cdot 40 = 7.2$$

Write each ratio in 3 ways.			
29. A bank contains 15 pennies and the ratio of nickels to pennies.		there are	ntains 6 apples and some bananas. If a total of 10 pieces of fruit, find the oples to bananas.
Convert each rate to a unit ra	te.		
31. \$4.25 for 64 fluid ounces	32. 297 miles on 11 go	allons of gas	33. 124 feet in 10 seconds
Complete the chart by convert	ing each number to	o a percent, fr	action, and/or decimal.
Fraction	De	cimal	Percent
34. $\frac{3}{8}$			
35.	0	.45	
36.			72%
37.	(	0.1	
38. $\frac{3}{200}$			
Find each percent of a number			
39. 30% of 90	40. 15% of 38		41. 50% of 86
42 75% of 160	43 24% of 35		44 29 of 74

#### Unit: NUMBER RELATIONSHIPS and COMPUTATION

Objective: Identify and determine equivalent forms of proper fractions as decimals, percents, and ratios - A.

**Examples:** Write  $\frac{21}{25}$  as a decimal

#### Method 1:

Change  $\frac{21}{25}$  to a fraction with a denominator of 10, 100, or 1000

**EX**: 
$$\frac{21}{25} = \frac{?}{100}$$

(Use 100, since 25 divides into 100 evenly)

$$\frac{21}{25} = \frac{x4}{x4} = \frac{84}{100}$$
  $\frac{84}{100} = 0.84$  as a decimal

Method 2: Divide 21 by 25

$$\frac{21}{25} \longrightarrow 25 ) 21.00$$

$$\frac{-200}{100}$$

$$-100$$

Therefore:  $\frac{21}{25} = 0.84$ 

1.) Write 
$$\frac{19}{20}$$
 as a decimal. Use method 1


**2.)** Write  $\frac{7}{8}$  as a decimal. Use method 2.

3.) Write 
$$\frac{3}{16}$$
 as a decimal. Use method 2

**4.)** Write  $\frac{27}{40}$  as a decimal. Use method 2

5.) Write 
$$\frac{3}{4}$$
 as a decimal. Use method 1

**6.)** Write  $\frac{3}{5}$  as a decimal. Use method 1



Unit: NUMBER RELATIONSHIPS and COMPUTATION

Objective: Identify and determine equivalent forms of proper fractions as decimals, percents, and ratios - B.

Key Concept: Percent (%) is a ratio that compares a number to 100

Fraction to Percent:

**EX**: Change  $\frac{19}{25}$  to a percent

Since % means out of 100,  $\frac{19}{25} = \frac{?}{100}$ 

$$\frac{19}{25} = \frac{x4}{x4} = \frac{76}{100}$$
$$\frac{76}{100} = 76\%$$

Percent to fraction:

EX: Change 75% to a fraction in simplest form

75% means 75 out of 100

$$75\% = \frac{75}{100}$$
 Write the percent as a fraction with a denominator of 100


$$\frac{75}{100} \div \frac{25}{25} = \frac{3}{4}$$
 Simplify

1.)	Change $\frac{17}{20}$	to a percent
-----	------------------------	--------------

2.) Change 84% to a fraction in simplest form

3.) Change 
$$\frac{3}{4}$$
 to a percent

4.) Change 90% to a fraction in simplest form




6.) 78% of the class completed their homework last night. What fraction of the class completed their homework?



### Week 3: Number System and Geometry Part 1

## Comparing Integers

Integers are numbers without fractional parts. They can be positive, negative, or zero. The further right a number is on the number line, the greater it is.




The absolute value of a number is the distance the number is from zero.

ex: compare with <, >, or =

-7 
$$\left| -q \right| \leftarrow$$
 The absolute value of  $-q = q$ 

### The Coordinate Plane




Ordered Pair: (x, y)

To graph a point on the coordinate plane, start at the origin. The first number in the ordered pair (the x-coordinate) tells you how far left (if negative) or right (if positive) to move. The second number (the y-coordinate) tells you how far up (if positive) or down (if negative) to move.

ex: Graph the point (-3, 2) and state the quadrant in which it is located.

Start at the origin, and move LEFT 3 and UP 2




Quadrant II

## Perimeter, Area and Volume

- Perimeter of Any Polygon: add all side lengths
- Area of a Rectangle: A = lw
- Area of Parallelogram: A = bh
- Area of Triangle:  $A = \frac{1}{2}bh$
- Area of Trapezoid:  $A = \frac{1}{2}h(b_1 + b_2)$
- Volume of Rectangular Prism: V = lwh

ex: Find the perimeter & area:



Perimeter: P = 5 + 8 + 5 + 14 = 32 mm

Area: This is a trapezoid, so use the area of a trapezoid

formula:  $A = \frac{1}{2}h(b_1 + b_2)$ 


The bases are the sides that are parallel, and the height is perpendicular to the bases.

$$\rightarrow$$
 A =  $\frac{1}{2}$  (4)(8+14) = 44 r


Compare the integers with <, >, or =.

454 -5	46. 2 -2	47.  -5     5	487 () 6	4913 -9
50.  -7  🔾 -6	5117 )-14	52.  -3   -2	53. 0 -6	54.  -4     6

Graph and label each of the ordered pairs in the coordinate plane. Then state the quadrant or axis in/on which the point is located.



Find the perimeter, area, and/or volume of the given figure.



### Week 4: Geometry Part 2


#### Unit: KNOWLEDGE of MEASUREMENT

**Objective:** Estimate and determine the area of a triangle with whole number dimensions.




The area (A) of a triangle is one half the product of the base (b) and the height (h). The formula for finding the area of a triangle is:  $A = \frac{1}{2}bh$  and is measured in square units.

Examples:



$$A = \frac{1}{2} bh$$
  $A = \frac{1}{2} x 4 x 5$   $A = \frac{1}{2} x 20$ 


$$A = 10 \text{ cm}^2$$




$$A = \frac{1}{2} bh$$
  $A = \frac{1}{2} \times 4 \times 5$   $A = \frac{1}{2} \times 20$ 


$$A = 10 \text{ cm}^2$$

1.) Determine the area of the triangle.



$$A = cm^2$$





3.) Determine the area of an obtuse triangle with a height of 11 cm and a base of 22 cm.

4.) Determine the area of an isosceles triangle with a base of 13 cm and a height of 26 cm.

- 5.) World famous pastry chef, Chen Lee, is designing a birthday cake for his son, who is a Geometry teacher. He has 4 layers, all triangles. He wants to put the largest layer (in area) on the bottom and the smallest layer on the top. Determine the area of each layer and order them from largest to smallest (4 = largest, 1 = smallest)
- Milk Chocolate layer

L - 40	?" h =	O11 A	_
p = 1	n =	6" A	=

Yellow cake layer b = 7" h = 11" A =

Dark Chocolate layer b = 4" h = 17" A =

White cake layer 
$$b = 9$$
"  $h = 9$ "  $A =$ 

**6.)** Natasha's dorm room is shaped like a triangle. The college brochure says it has an area of 875 square feet. The room is 35 feet long. Determine the width of the room at its widest point.

## **Week 5: Expressions and Equations**

## Evaluating Algebraic Expressions

- 1. Substitute the given numbers for the variables
- 2. Evaluate the expression using the order of operations

ex: evaluate 
$$x + 4y$$
 for  $x = 4 \ \xi \ y = 6$ 

## One-Step Addition & Subtraction Equations

- <u>Addition Equations</u>: Subtract the number being added to the variable from both sides of the equation

$$ex: \frac{4}{4} + x = 18$$
 $x = 14$ 

- <u>Subtraction Equations</u>: Add the number being subtracted from the variable to both sides of the equation

ex: 
$$20 = a - 5$$
  
 $+5$   
 $25 = a \rightarrow a = 25$ 

## One-Step Multiplication & Division Equations

- <u>Multiplication Equations</u>: Divide both sides of the equation by the number next to the variable

ex: 
$$\frac{7b}{7} = \frac{28}{7}$$
  
 $b = 4$ 

- <u>Division Equations</u>: Multiply both sides of the equation by the number under the variable

ex: 
$$\frac{n}{5} = 10 \cdot 5$$

# Problem Solving

- 1. Read the problem. Identify the question that is being asked and the key information in the problem.
- 2. Plan how you are going to solve the problem and estimate the answer.
- 3. Solve the problem using the strategy of your choice.
- 4. Check your answer. Make sure your answer is reasonable and compare it to your estimate. Label your answer with appropriate units.

#### Unit: KNOWLEDGE of ALGEBRA, PATTERNS, and FUNCTIONS

Objective: Determine the unknown in a linear equation (addition & subtraction).

- Addition equations: Subtract the same number from each side of the equation so that the two sides remain equal.
- Subtraction equations: Add the same number to each side of the equation so that the two sides remain equal.

#### Examples:

-3 -3 subtract 3 from each side

b + 0 = 3 solution

b = 3 simplify

b-8=4 original equation

+8 +8 add 4 to each side

b + 0 = 12 solution

b = 12 simplify

1.)

g + 5 = 12

2.)

s - 12 = 29

3.)

m + 3.5 = 10.5

4.)

k - 5.5 = 8.5



w + 6.25 = 22

6.)

g - 3.75 = 49.75

#### Unit: KNOWLEDGE of ALGEBRA, PATTERNS, and FUNCTIONS

Objective: Determine the unknown in a linear equation (multiplication & division).

- In a **multiplication equation**, the number by which a variable is multiplied is called the **coefficient**. In the multiplication equation 2x = 8, the coefficient is 2.
- Multiplication equations: Divide both sides by the coefficient so that the two sides remain equal.
- In a **division equation**, the number by which the variable is divided is called the **divisor**. In the division equation  $\frac{x}{4}$ , 4 is the divisor.
- Division equations: Multiply both sides of the equation by the divisor so that the two sides remain equal.

#### Examples:

4b = 16	original equation	$\frac{m}{6} = 11$	original equation
4 4	divide both sides by 4	$6 \times \frac{m}{6} = 11 \times 6$	multiply each side by
1b = 4 b = 4	solution simplify	1m = 66 m = 66	solution simplify

1.)		2.)	
7x	= 63		$\frac{k}{9} = 8$

3.) 
$$\frac{n}{7} = 5.55$$

5.) 6.) 
$$\frac{p}{13} = 2.67$$



6